5

10

15

20

25

30

35

CLAIMS

V	۷h	at	is	cla	imed	l is:
---	----	----	----	-----	------	-------

- 1. An E. coli strain comprising:
 - a disrupted endogenous phosphoenolpyruvate-glucose phosphotransferase system preventing expression of active PEP-glucose phosphotransferase system proteins;
 - b) an up regulated endogenous *galP* gene encoding active galactose-proton symporter;
 - c) an up regulated endogenous *glk* gene encoding active glucokinase; and
 - d) a down regulated endogenous *gapA* gene encoding active glyceraldehyde 3-phosphate dehydrogenase.
- 2. The *E. coli* strain of Claim 1, wherein the disrupted endogenous phosphoenolpyruvate-glucose phosphotransferase system comprises one or more of :
 - i) disrupted endogenous *ptsH* gene preventing expression of active phosphocarrier protein;
 - ii) disrupted endogenous *ptsl* gene preventing expression of active phosphoenolpyruvate-protein phosphotransferase; and
 - iii) disrupted endogenous *crr* gene preventing expression of active glucose-specific IIA component.
- 3. The *E. coli* strain of Claims 1 or 2, further comprising one or more of :
 - e) a disrupted endogenous *arcA* gene preventing expression of active aerobic respiration control protein;
 - f) an up regulated endogenous ppc gene encoding active phosphoenolpyruvate carboxylase;
 - g) an up regulated endogenous btuR gene encoding active cob(I)alamin adenosyltransferase; and
 - h) an up regulated *yqhD* gene encoding active alcohol dehydrogenase.
- 4. The *E. coli* strain of Claims 1, 2, or 3, further comprising one or more of:
 - i) a disrupted endogenous mgsA gene preventing the expression of active methylglyoxal synthase;

- j) a disrupted endogenous ackA gene preventing the expression of active acetate kinase;
- a disrupted endogenous pta gene preventing the expression of active phosphotrasacetylase;
- a disrupted endogenous aldA gene preventing the expression of active aldehyde dehydrogenase A; and
- m) a disrupted endogenous *aldB* gene preventing the expression of active aldehyde dehydrogenase B.
- 5. The *E. coli* strain of Claims 1, 2, 3, or 4, further comprising one or more of:
 - n) a disrupted endogenous *edd* gene preventing expression of active phosphogluconate dehydratase;
 - a disrupted endogenous *glpK* gene preventing expression of active glycerol kinase; and
 - a disrupted endogenous gldA gene preventing expression of active NADH-dependent glycerol dehydrogenase.
 - 6. A method for the bioproduction of 1,3-propanediol comprising contacting the *E. coli* strain of Claims 1, 2, 3, 4 or 5 with a suitable carbon substrate under suitable conditions.
- 7. The method of Claim 6, wherein the *E. coli* strain further comprises:
 - (i) glycerol-3-phosphate dehydrogenase;
 - (ii) glycerol-3-phosphatase;
 - (iii) dehydratase; and
- 25 (iv) dehydratase reactivation factor.

5

15

30

35

- 8. An *E. coli* strain comprising
 - a) a disrupted endogenous phosphoenolpyruvate-glucose phosphotransferase system preventing expression of active PEP-glucose phosphotransferase system proteins;
 - b) an up regulated endogenous *galP* gene encoding active galactose-proton symporter;
 - c) an up regulated endogenous *glk* gene encoding active glucokinase;
 - d) a down regulated endogenous *gapA* gene encoding active glyceraldehyde 3-phosphate dehydrogenase.

a disrupted endogenous arcA gene preventing expression e) of active aerobic respiration control protein; an up regulated endogenous ppc gene encoding active f) phosphoenolpyruvate carboxylase; an up regulated endogenous btuR gene encoding active 5 g) cob(I)alamin adenosyltransferase; an up regulated yqhD gene encoding active alcohol h) dehydrogenase. a disrupted endogenous mgsA gene preventing the i) expression of active methylglyoxal synthase; 10 a disrupted endogenous ackA gene preventing the j) expression of active acetate kinase; a disrupted endogenous pta gene preventing the k) expression of active phosphotrasacetylase; a disrupted endogenous aldA gene preventing the I) 15 expression of active aldehyde dehydrogenase A; a disrupted endogenous aldB gene preventing the m) expression of active aldehyde dehydrogenase B. a disrupted endogenous edd gene preventing expression n) of active phosphogluconate dehydratase; 20 a disrupted endogenous glpK gene preventing expression o) of active glycerol kinase;

p)

q)

25

a disrupted endogenous gldA gene preventing expression

of active NADH-dependent glycerol dehydrogenase; and

any one of the nucleotide sequences for a pSYCO

construct SEQ ID NOs:65, 66, 67, or 68.